

Automated Fresh Brew

SimpliciTea 1500
FRESH TEA MADE SIMPLE



Fresh-Brewed Iced or Hot Tea. Automated. Effortless. Profitable.
The **SimpliciTea 1500** is a new, breakthrough technology that revolutionizes Fresh Brewed Tea. It simply delivers long-lasting, fresh, customizable tea with less labor, less waste, and more profit potential. Designed with operators and their customers in mind, **SimpliciTea** brings innovation and simplicity together to elevate the iced tea experience like never before.

Superior Brewed Tea, always fresh, never wasted
Patented Dispense Technology keeps tea fresh for up to 7 days!



Touchscreen ordering

Makes it easy for customers to select, flavor, and sweeten their tea ... just the way they want it.



Never run out of fresh tea...

Automated Brewing allows for easy execution, ensuring fresh tea is always available.



Automated cleaning

- Single touch fully automated self cleaning
- No labor
- Required once per week

Configurations to meet your needs!
SimpliciTea 1500: Compact 2-tea model



SCAN ME
for more information

Technical Requirements



Power: 30A circuit at 208V/240V (NEMA 6-30P Plug)



Water: 3/8" Barbed Fitting



Flavor Options: (5) 3/8" Push-To-Connect Fittings

How Much Can You Save?

Daily Brewing (24 Gallons)

\$SAVE

Expense	Traditional Brewing	SimpliciTea 1500
Tea & Sugar	\$20.00	\$15.00 (-25% Waste Savings)
Labor: \$15/hr	\$20.00 (10 min, 8x/day)	\$0.25 (30 sec/2x per day)
Total	\$40	\$15.25 (62% savings)


Annual Savings: Thousands in labor & waste reduction!

Cut Costs. Save Time. Brew Better.



SimpliciTea 1500 Specifications

Automated Fresh Brew Tea — Compact 2-Tea Model



Configurable to offer 1 or 2 different Tea Types

Dimensions

Height	70.23 in	1,784 mm
Width	15.50 in	394 mm
Depth	26.87 in	683 mm
Weight	220 lb	99.8 kg

Water Line

3/8" Barbed Fitting

Drain Lines

1" diameter to floor drain

Flavor Lines (up to 5)

Requires 3/8" push-to-connect fittings

Electrical Specifications

Phase	1-Phase	Plug (unit)
Voltage	208/240 V	 NEMA 6-30P
Max Circuit	30A	

Refrigerator

Phase	1-Phase	Plug (unit)
Voltage	115 V	 NEMA 5-15P
Max Circuit	15A	

